



# AC MOBILITY

## Traxx 3 & Atigra 2 Script Form

Client Information
Name
Address
Email
Phone
Height
Weight
Funding Source

Therapist Information
Name
Organisation

Salesperson Information
Name
Company

■ Traxx 3
■ Atigra 2




Traxx 3



Atigra 2

Standard Features
<ul style="list-style-type: none"> <li>• Adjustable Seat Width from 410mm to 510mm</li> <li>• Seat Depth Infinite Adjustment from 360mm to 510mm</li> <li>• Detachable T-Armrests, Height and Depth Adjustable</li> <li>• Adjustable Seat Tilt (0° to 9°) &amp; Backrest Recline (90° to 120°)</li> <li>• Swing-away and Detachable Legrests (Standard Footplate)</li> <li>• Standard Curved Headrest</li> <li>• VR2 60Ah Controller</li> <li>• Independent Suspension System</li> <li>• 6 or 10km/h 300W Motors with 50Ah Batteries</li> <li>• Padded Lap Belt</li> </ul>

**Measurement Guide**



A (back height)	<input type="text"/>	mm
B (arm height)	<input type="text"/>	mm
C (lower leg length)	<input type="text"/>	mm
D (seat depth)	<input type="text"/>	mm
E (chest width)	<input type="text"/>	mm
F (seat width)	<input type="text"/>	mm
G (height from seat to top of head)	<input type="text"/>	mm
H (shoulder width)	<input type="text"/>	mm

## Seat Dimension

### Seat Width and Depth

Depth Width	360mm (14")	385mm (15")	410mm (16")	435mm (17")	460mm (18")	385mm (19")	510mm (20")
305mm (12")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
330mm (13")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
360mm (14")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
385mm (15")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
410mm (16")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
435mm (17")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
460mm (18")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
485mm (19")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
510mm (20")	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### Seat-to-Floor Height

seat height measured from floor to seat pan at 0° tilt

Manual Adjustable Lift (75mm)

Rear seat height

enter a figure between 460mm and 570mm

Front seat height

enter a figure between 460mm and 570mm

Power Tilt with COG Shift (0° to 50°)

Power Lift (300mm) and Tilt (0° to 45°)  
Combined with initial height 480mm to 590mm

### Backrest Angle

Manual Adjustable Recline  
If selected, circle appropriate preset below

90°

95°

100°

105°

110°

115°

120°

Power Recliner with Shear Reduction (0° to 80°)

## Seat and Backrest Cushion

### Seat Cushion

sizes according to seat frame settings

KISS Seat Cushion Lite (75mm)  
w/ Metal Seat Pan

AC Mobility Padded Seat

Bare Seat Frame

### Backrest Cushion

sizes according to seat frame settings

KISS Backrest Cushion Lite  
and Cushion Contour

Without Backrest Cushion  
Backrest Plate only

Without Backrest Cushion  
Backrest Canes only

## Armrests & Armpads

### Armrests

reclining armrest is recommended while Power Recline is ordered



Detachable  
T-Armrests  
Height and Depth  
Adjustable



Flip-back  
Armrest  
Height Adjustable



Flip-back  
Reclining  
Armrest  
Height Adjustable  
recommended with  
power recline

### Armpad

Ergo Armpad  
300mm

Padded Armpad  
350mm

Contour Armpad  
370mm

### Legrests - Left Hand Side

#### Central Mounted Legrest

Fixed Central Mounted Legrest  
(85° to 95°)

#### Swing-away Legrests

75° Swing in/Swing out Legrest (320mm to 460mm)

90° Straight Legrest (280mm to 370mm)

Manual Elevating Legrest (10° to 90°)

Power Elevating Legrest (10° to 80°)

Stump Support

### Legrests - Right Hand Side

#### Central Mounted Legrest

Fixed Central Mounted Legrest  
(85° to 95°)

#### Swing-away Legrests

75° Swing in/Swing out Legrest (320mm to 460mm)

90° Straight Legrest (280mm to 370mm)

Manual Elevating Legrest (10° to 90°)

Power Elevating Legrest (10° to 80°)

Stump Support



75° Swing-away Legrest



90° Straight Legrest



Manual Elevating Legrest



Power Elevating Legrest

**Footplate - Left Hand Side**  
selected only on the swing-away legrests

- Flip-up Standard Footplate
- Flip-up Angle and Depth Adjustable Footplate

**Footplate - Right Hand Side**  
selected only on the swing-away legrests

- Flip-up Standard Footplate
- Flip-up Angle and Depth Adjustable Footplate

**Seat Accessories**

**Headrest**

- One-piece Curved Headrest (250 x 120 mm)
- One-piece Curved Headrest Sideways Adjustable (350 x 120 mm)
- Without Headrest
- AC Mobility Padded Headrest
- Flip-back Tube

**Pommel**

- Pommel, Small (80 x 80 mm)
- Pommel, Large (100 x 100 mm)
- Removable and Drop-down Brackets

**Positioning Straps**

- No Belt
- Padded Lap Belt
- Padded H-Belt

**Trunk Support - Left Hand Side**

- Lateral Support, Short (120 x 80 mm)
- Lateral Support, Medium (150 x 80 mm)
- Lateral Support, Long (180 x 100 mm)
- Lateral Support, Extra Long (210 x 100 mm)
- Removable and Swing-away Brackets
- With 3D Air Mesh Fabric Cover

**Trunk Support - Right Hand Side**

- Lateral Support, Short (120 x 80 mm)
- Lateral Support, Medium (150 x 80 mm)
- Lateral Support, Long (180 x 100 mm)
- Lateral Support, Extra Long (210 x 100 mm)
- Removable and Swing-away Brackets
- With 3D Air Mesh Fabric Cover

**Hip Support - Left Hand Side**

- Hip Support, Short (150 x 80 mm)
- Hip Support, Long (250 x 100 mm)
- Removable Brackets
- Swing-away Brackets

**Hip Support - Right Hand Side**

- Hip Support, Short (150 x 80 mm)
- Hip Support, Long (250 x 100 mm)
- Removable Brackets
- Swing-away Brackets

## Power Base

**Colour**

Metallic Red

Kelvin Blue

Silver Black

**Speed Limit**

6 km/h

10 km/h

**Motor**

300W 2-Pole Motor \* 2  
only available for Atigra 2

450W 4-Pole Motor \* 2  
available for Atigra 2 and Traxx 3

## Controller

**Controls**

VR2 Controller

R-Net JSM Control System  
R-net System is required for over 2 actuators

R-Net CJSM Control System with  
colour screen  
R-net System is required for over 2 actuators

**Joystick Controller Bracket - Left Hand Side**

Standard Bracket

Parallel Swing away

**Joystick Controller Bracket - Right Hand Side**

Standard Bracket

Parallel Swing away

## Joystick Knobs

					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
T Shaped	Soft Ball Shaped	L Shaped	Mushroom Shaped	Short Shaped	Ball Shaped

## Battery

Without Batteries

50 AH \* 2

## Charger

6A Charger (100~220V)

8A Charger (100~220V)

## Accessories

**Light**

Lighting System with Indicators & LED Lighting

**Transportation Kit**

4-Point tie-down

**Accessories**

Lap Trap

Cane Holder

IV Pole Holder

Oxygen Tank Holder

Cell Phone Holder

Tablet Holder