

Baxx Aluminum Back Supports

Order no.:

Baxx Aluminium Back Supports

Article number: 476D00=00000_K



Standard equipment

- Aluminum back shell
- back colour individual selectable
- Breathable 4D spacer fabric cover
- max. user weight 113 kg

Provide estimate only Order

Billing address/customer number

Delivery address

Sales person

Name

.....
Date Signature

Please note the selection tools and instructions to order at pages 3-6 before you configure your product!

Back shell		Additional charge
PD 01	<input type="checkbox"/> Aluminium back with Scapular cut out (AL - series)	add. charge
PD 02	<input type="checkbox"/> Aluminium flat top back without Scapular cut out (AFT - series)	add. charge
Cover typ		Additional charge
PD 03	<input checked="" type="checkbox"/> Spacer fabric cover, breathable (Standard)	add. charge

Wheelchair width in mm (ALL Back Support widths are based off of the width of the chair they are being mounted to)					
<input type="checkbox"/> 250*	<input type="checkbox"/> 280*	<input type="checkbox"/> 310*	<input type="checkbox"/> 330*	<input type="checkbox"/> 360*	
<input type="checkbox"/> 380	<input type="checkbox"/> 410	<input type="checkbox"/> 460	<input type="checkbox"/> 480	<input type="checkbox"/> 510*	
* delivery time 18 work days ** All back support widths are based on the width of the chair on which they are being mounted.					

Back height in mm	
<input type="checkbox"/>	Low (250)
<input type="checkbox"/>	Medium (330)
<input type="checkbox"/>	Standard (410)
<input type="checkbox"/>	Tall (460) ¹
<input type="checkbox"/>	Extra Tall (510) ¹
Height of the shell without cushion and cover. Cushion and cover add roughly 50 - 60 mm of overall height. ¹ Back height tall and extra tall only in conjunction with Baxx aluminum flat top back support available.	

Back contour in mm		Additional charge
PD 05	<input type="checkbox"/> Active (64)	-
PD 06	<input type="checkbox"/> Deep (100)	add. charge
PD 07	<input type="checkbox"/> Extra Deep (150)	add. charge
Back contour measurements including upholstery, for more information see page 3-6		

Mounting Hardware		Additional charge
PD 08	<input type="checkbox"/> Quick Release	add. charge
PD 09	<input type="checkbox"/> Basic Release	add. charge
PD 10	<input type="checkbox"/> 2-Point Pro	add. charge
PD 11	<input type="checkbox"/> 4-Point Pro	add. charge
For more information please see page 6		

Frame colour	
001	<input type="checkbox"/> Brilliant silver
002	<input type="checkbox"/> Anthracite metallic
003	<input type="checkbox"/> Jet black RAL 9005
004	<input type="checkbox"/> Ice blue
005	<input type="checkbox"/> Sparkle light orange
009	<input type="checkbox"/> Vinho sparkle
010	<input type="checkbox"/> Marine blue
012	<input type="checkbox"/> Sky blue
013	<input type="checkbox"/> Jet black RAL 9005 matte
014	<input type="checkbox"/> Candy red
017	<input type="checkbox"/> Yellow RAL 1023
018	<input type="checkbox"/> Signal red RAL 3001
021	<input type="checkbox"/> Sparkle granny-smith
023	<input type="checkbox"/> White RAL 9016
027	<input type="checkbox"/> Shimano matte
028	<input type="checkbox"/> Rainbow
037	<input type="checkbox"/> Pink RAL 4010

Lateral support, left*						Additional charge	
PD 12	<input type="checkbox"/>	Stationary	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	add. charge
PD 13	<input type="checkbox"/>	Swing away	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	add. charge

Lateral support, right*						Additional charge	
PD 16	<input type="checkbox"/>	Stationary	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	add. charge
PD 17	<input type="checkbox"/>	Swing away	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	add. charge

* only in combination with active back contour, dimensions see page 6

Accessories		Additional charge
PD 14	<input type="checkbox"/> Privacy flap	add. charge
PD 15	<input type="checkbox"/> Loop handle	add. charge

1. Select shell type and width:

active contour			Fits Wheelchair Sizes		
User width (internal back width) in mm	Actual width (including upholstery) in mm	wheelchair width to be ordered in mm	Minimum size (inner slot) in mm	Standard size in mm	Maximum size (outer slot) in mm
178	210	250	222	254	305
203	235	280	248	279	330
229	260	310	273	305	356
254	286	330	299	330	380
286	330	360	324	356	406
311	356	380	349	380	432
337	380	410	375	406	457
362	406	430	400	432	483
388	432	460	426	457	508
411	457	480	451	483	533
438	483	510	476	508	559

deep contour			Fits Wheelchair Sizes		
User width (internal back width) in mm	Actual width (including upholstery) in mm	wheelchair width to be ordered in mm	Minimum size (inner slot) in mm	Standard size in mm	Maximum size (outer slot) in mm
172	210	250	222	254	305
197	235	280	248	279	330
222	260	310	273	305	356
248	286	330	299	330	380
292	349	360	324	356	406
318	375	380	349	380	432
343	400	410	375	406	457
368	426	430	400	432	483
394	451	460	426	457	508
419	476	480	451	483	533
445	502	510	476	508	559

extra deep contour			Fits Wheelchair Sizes		
User width (internal back width) in mm	Actual width (including upholstery) in mm	wheelchair width to be ordered in mm	Minimum size (inner slot) in mm	Standard size in mm	Maximum size (outer slot) in mm
178	254	250	254	254	305
203	279	280	248	279	330
229	305	310	273	305	356
254	330	330	299	330	380
279	356	360	334	356	407
305	380	380	349	380	432
330	406	410	375	406	457
356	432	430	400	432	483
381	457	460	426	457	508
406	483	480	451	483	533
432	508	510	476	508	559



Back support contour:
active
(64 mm)



Back support contour:
deep
(100 mm)



Back support contour:
extra deep
(150 mm)

2. Select shell depth and height:

			active			semi active	
			Baxx Aluminium backs (AL)			Baxx Aluminium flat top back (AFT)	
			Height			Height	
Wheel- chair width	Contour		low	medium	standard	tall	Xtall
mm		in mm	250 mm	330 mm	410 mm	460 mm	510 mm
250	active	64	•				
	deep	100	•				
280	active	64	•				
	deep	100	•				
300	active	64	•	•			
	deep	100	•	•			
330	active	64	•	•			
	deep	100	•	•			
360	active	64	•	•	•		
	deep	100	•	•	•		
380	active	64	•	•	•		
	deep	100	•	•	•		
410	active	64	•	•	•	•	•
	deep	100	•	•	•	•	•
	extra deep	150			•	•	•
430	active	64	•	•	•	•	•
	deep	100	•	•	•	•	•
	extra deep	150			•	•	•
460	active	64	•	•	•	•	•
	deep	100	•	•	•	•	•
	extra deep	150			•	•	•
480	active	64	•	•	•	•	•
	deep	100	•	•	•	•	•
	extra deep	150			•	•	•
510	active	64	•	•	•	•	•
	deep	100	•	•	•	•	•
	extra deep	150			•	•	•



Back profile: active



Back profile: semi active

3. Select Mounting Hardware:

Mounting hardware	Quick release	Crash tested	Angle adjustment range (in °)	Width adjustment range (in mm)	2 or 4 point mounting	Rigidiser bar cut out	Tube diameter (in mm)	Space required on back canes (in mm)	weight complete (in g)	weight stays with back (in g)
Basic Release	✓	-	+/- 15	+/- 25.4	4	✓	19 – 22	89	760	580
Quick Release	✓	✓	+/- 10	+/- 25.4	2	-	15 – 25	121	580	340
2- Point Pro	-	-	+/- 10	+/- 25.4	2	-	15 – 25	121	560	NA
4- Point Pro	-	-	+/- 15	+/- 25.4	4	✓	19 – 25	89	580	NA

Angle

	0°	5°	10°
Seat depth loss	0 mm	19.1 mm	38.1 mm



Basic Release



Quick Release




2-Point Pro



4-Point Pro

Lateral support measurements

Size	S	M	L	XL
Height (mm)	76	76	114	102
Depth (mm)	76	102	114	152



Left: stationary lateral supports

Right: swing away lateral supports